Canon

Color imageCLASS X LBP1333C

Color imageCLASS X LBP1333C

Print up to 35 ppm (Color)

Print up to 8-1/2" x 14"

850-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small workgroups within an office or home environments used as part of an organization's extended print fleet, the Canon Color imageCLASS X LBP1333C printer balances speedy performance, minimal maintenance, and the ability to add an extra paper tray for busy groups. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.



WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- Ul customization allows users to drag and drop frequently used icons.
- New Application Library features create a unique, customized device experience and ease of use.
- Supports certain compatible mobile printing solutions.¹
- Designed for small print jobs with firstprint-out time as fast as 7 seconds.
- Provides consistency with the imageRUNNER ADVANCE DX Series.



SECURITY FEATURES

- Helps reduce the risk of confidential information loss, since documents are only stored in short-term memory.
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.
- Supports Verify System at Startup, a process to help verify the validity of the device firmware and Application Library from unauthorized modifications.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.²





COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize the need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard, two-sided printing plus the ability to print multiple pages onto one sheet help to reduce paper consumption.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.




QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive maintenance videos for common tasks like consumables replacement.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve lower energy consumption.
- Encourages environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR[®] certified and currently rated EPEAT[®] Silver.³



MANAGE OUTPUT WITH uniFLOW SOFTWARE

The optional uniFLOW portfolio offers an on-premise or cloud solution that imageCLASS devices can utilize with flexible authentication. With either card-based or PIN-code-based authentication, imageCLASS devices can help secure output management, track costs with reporting, and operate mobile printing—one platform for your print and device management needs.



FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Consumables Information, Language, Print Client Faxes, Fax to Preset Destination, Template Email, Standby Slide from Server, and Print File from Server.



SPECIFICATIONS

Main Unit

Core Functions Standard: Print Processor

Cortex-A9MPCore 1200 MHz×2 Control Panel

5" Color Touch Panel

Memory 1 GB RAM

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection

Paper Capacity (Letter, 20 lb. Bond)		
Standard:	300 Sheets	
Maximum:	850 Sheets	
Paper Sources (Letter, 20 lb. Bond)		

Standard 250-sheet Paper Cassette

	50-sheet Stack Bypass	
Optional:	550-sheet Paper Cassette	

Paper Output Capacity (Letter, 20 lb. Bond) Standard: 75 Sheets

Supported Media Types

	71
Cassettes:	Thin, Plain, Thick, Color, Recycled,
	Coated, Label, Pre-Punched,
	Letterhead, Postcard, Envelope
Stack Bypass:	Thin, Plain, Thick, Color, Recycled,
	Coated, Label, Pre-Punched,
	Letterhead, Postcard, Envelope

Supported Media Sizes

Cassettes:	Letter, Legal, Statement, Executive,
	Index Card, Envelope: [No. 10 (COM10),
	Monarch, ISO-C5, DL], Custom
	(Min. 3" x 5" to Max. 8.5" x 14")
Stack Bypass:	Letter, Legal, Statement, Executive,
	Index Card, Envelope: [No. 10 (COM10),
	Monarch, ISO-C5, DL], Custom
	(Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes:	16 lb. Bond to 74 lb. Bond
	(60 to 200 g/m ²)
	16 lb. Bond to 74 lb. Bond
Stack Bypass:	(60 to 200 g/m²)

Warm-Up Time

warm op mile	
From Power On:	16.6 Seconds or Less
From Sleep	1.7 Seconds or Less
Mode:	

Dimensions (W x D)

16.7" x 16.8" Standard (425 mm x 427 mm) (Desktop):

Installation Space (W x D)

16.7" x 36.1" Fully Configured: (425 mm x 917 mm) Weight⁴

Main Unit: Approx. 35.5 lb. (16.1 kg)

Supported OS

Windows® 8.1/10/11, Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, MAC OS (10.12 or later)

Print Specifications

Printing Method

Laser Beam Printing Print Speed (Color)⁵

Up to 35ppm (1-Sided Letter); Up to 31 ppm (2-Sided Letter) First-Print-Out Time

Approx. 7 Seconds

Recommended Monthly Page Volume

750 - 4,000 Pages Print Resolution (dpi)

1200 x 1200

Standard Page Description Languages

UFR II, PCL[®]6, PCL[®]5, Adobe PostScript 3[®] Double-Sided Printing Automatic (Standard)

Direct Print

Available from USB memory Supported file types: TIFF, JPEG, PDF and XPS

Printing from Mobile and Cloud-based Services¹

- Apple[®]AirPrint[®], Canon PRINT Business, Mopria[™] Print Service, Canon Print Service, and uniFLOW Online Fonts
- PCL: 93 Fonts PS: 136 Fonts

Print Features

Secure Watermark, Header/Footer,Page Layout, Two-sided Printing, Mixed Paper Sizes/Orientations, Toner Reduction, Poster Printing, Print Date

COLOR imageCLASS X LBP1333C

Security Specifications Authentication

Authentication	
Standard:	Embedded Universal Login Manager, Department ID Authentication
Optional:	uniFLOW, uniFLOW Online
Data	
Standard:	Verify System at Startup
Network	
Standard:	TLS 1.3, IPSec, IEEE802.1X authentication, Firewall Functionality (IIP/MAC Adress Filtering), Enabling/Disabling (Network Applications, Remote UI, USB Interface), USB Port separation from LAN
Document	
Standard:	Secure Print
Wi-Fi Authentication Methods	
Wi-Fi	128(104)/64(40)bit WEP, WPA-PSK
Infrastructure	(TKIP/AES-CCMP), WPA2-PSK
Mode:	(TKIP/AES-CCMP), WPA-EAP (AES-CCMP), WPA2-EAP(AES-CCMP)

Environmental Specifications

Operating Environment 50 to 86° F Temperature: Humidity: 20 to 80% RH (No Condensation)

WPA2-PSK(AES-CCMP)

Power Requirements AC110-127V: 6.8A, 60Hz

Power Consumption

Wi-Fi Access

Point:

Maximum: Standby: Sleep Mode: Typical Electricity Consumption (TEC) Rating:

Approx. 1610 W Approx. 24.0 W Approx. 1.0 W 0.33 kWh

Standards

ENERGY STAR[®] Qualified, Currently Rated EPEAT Silver³

CONFIGURATION AND ACCESSORIES



Accessories

Card Readers⁶ MiCard Attachment Kit-B17 Proximity card reader designed to be used with uniFLOW for card authentication.

Print Accessories Barcode Print Kit-E1 Installs bar code fonts for bar code printing.

Extended Service Packs Canon eCarePAK Canon Extended Service Plans offer coverage beyond the standard one-year limited

warranty⁸ up to four years.

Calor Ina to tax he at Calor ImageCLASS 3 LBD1323C / M

GENUINE CONSUMABLES

Always look for the Canon anticounterfeiting hologram on your Canon GENUINE product packaging.

> Toner T12 Black Toner T12 Cyan Toner T12 Magenta

Toner T12 Yellow



Τ	Yields 7,400 Impressions	
Ť	Yields 5,300 Impressions	

Yields 5,300 Impressions

Yields 5,300 Impressions

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues. Black Toner (yielding 7,400 pages) and C/M/Y Toners (yielding 5,300 pages each) are included in the box.

¹ Canon PRINT Business is a free app available on the App Store[®] and Google Play[™] Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

² Please reference user manuals for details on settings available to export.

³ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net

⁴ Includes consumables.

⁵ Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

⁶ Attachment kit required.

⁷ Contact your Canon representative for information on reader compatibility.
⁸ Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.





CANON

As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Šerver are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2023 Canon U.S.A., Inc. All rights reserved.

0123-CiCXI BP1333C-PDF-IH



